

Automating Microsoft Excel With ooRexx

16th International Rexx Symposium
for Developers and Users

April 18th – April 21st, 2005

Palos Verdes Inn

Redondo Beach, CA

Lee Peedin

VP Research & Development

Safe Data, Inc.

Wallace, NC

lee@safedatausa.com

Automating Microsoft Excel With ooRexx




For



Retrieve Data From Or
Change Data In Existing
Workbooks



Create
New
Workbooks






Automating Microsoft Excel With ooRexx



ActiveX/OLE (Object Linking and Embedding) enables the programmer to integrate and use objects from application programs. An ActiveX/OLE server is the application that creates ActiveX/OLE objects. The Microsoft Office Products (Excel, Word, PowerPoint, FrontPage, Outlook, etc.) are examples of ActiveX/OLE server applications. Microsoft Internet Explorer (IE) is also an ActiveX/OLE server application. ooRexx allows us to use the ActiveX/OLE objects created by the application in such a way as to automate the application. The generic term for this process is “Application Automation”.

ActiveX/OLE “beta” was first made available to Rexx in Object Rexx version 1.0.3. It became part of Object Rexx in version 2.1 and is included in ooRexx.





Automating Microsoft Excel With ooRexx




Disclaimer

All examples in this presentation were done in
Microsoft Excel 2002 (10.2614.2625).

Actual methods and/or attributes may vary with
different versions of Excel, especially in regards
to printing and saving workbooks.

Use of the Excel macro recorder (which
produces VBA code), is the best place to
determine what methods and attributes are
necessary to accomplish the required task.





Automating Microsoft Excel With ooRexx



Object Creation

```
xlObj=.OleObject~New('Excel.Application')
```


Setting The Visible Attribute

```
xlObj~Visible=.true
```

```
xlObj~Visible=.false
```

Defining Constants

```
xlCenter=xlObj~GetConstant('xlCenter')
```





Automating Microsoft Excel With ooRexx



Opening Existing Workbook

```
OpenIt=xlObj~WorkBooks~Open(infile)
```

Creating A New Workbook


```
xlObj~Application~SheetsInNewWorkbook=1
```

```
AddIt=xlObj~WorkBooks~Add
```

Setting The Alert Attribute

```
xlObj~Application~DisplayAlerts=.true
```

```
xlObj~Application~DisplayAlerts=.false
```





Automating Microsoft Excel With ooRexx



Saving A WorkBook


`xlObj~ActiveSheet~SaveAs(outfile)`

Closing All Workbooks

`Closetl=xlObj~Workbooks(1)~Close(SaveAll)`

Quitting Excel

`QuitIt=xlObj~Quit`





Automating Microsoft Excel With ooRexx



Assigning Value To A Cell


```
xlObj~Cells(row,column)~Value = foo
```

Retrieving Value From A Cell

```
bar = xlObj~Cells(row,column)~Value
```

Determining Last Cell Used

```
xlLastCell=xlObj~GetConstant('xlLastCell')  
lc=xlObj~ActiveCell~SpecialCells(xlLastCell)  
parse var lc '$'max_c'$'max_r
```





Automating Microsoft Excel With ooRexx




Selecting A Range Of Cells

```
xlObj~Range("A1:"max_c|max_r)~Select  
s=xlObj~Selection
```

Changing Selected Cell Attributes

```
s~HorizontalAlignment=xlCenter  
s~Interior~ColorIndex=3  
s~Font~Name='Arial Black'
```





Automating Microsoft Excel With ooRexx



Autofit Range of Column Widths

```
xlObj~Columns('A:U')~Select  
xlObj~Selection~Columns~AutoFit
```


Drawing Boxes Around Cells

(Given that s is a selected range of cells)

```
s~Borders~LineStyle=xlContinuous
```

```
s~Borders~Weight=xlThin
```

```
s~Borders~ColorIndex=xlAutomatic
```






Automating Microsoft Excel With ooRexx



Merge Data Across Cells

```
xlObj~Range('A1:U1')~Select  
    s=xlObj~Selection  
xlCenter = xlObj~GetConstant('xlCenter')  
xlBottom = xlObj~GetConstant('xlBottom')  
s~HorizontalAlignment=xlCenter  
s~VerticalAlignment=xlBottom  
s~Merge
```






Automating Microsoft Excel With ooRexx



Setup Print Criteria & Print

```
xap=xlObj~ActiveSheet~PageSetup  
xap~PrintTitleRows='$1:$2'  
xap~PrintTitleColumns=""  
xap~PrintArea=""  
xap~LeftHeader=""  
xap~CenterHeader=""  
xap~RightHeader=""  
xap~LeftFooter=""  
xap~CenterFooter=""  
xap~RightFooter=""
```






Automating Microsoft Excel With ooRexx



Setup Print Criteria & Print

```
xap~LeftMargin=xlObj~Application~InchesToPoints(0.75)
xap~RightMargin=xlObj~Application~InchesToPoints(0.75)
  xap~TopMargin=xlObj~Application~InchesToPoints(1)
  xap~BottomMargin=xlObj~Application~InchesToPoints(1)
xap~HeaderMargin=xlObj~Application~InchesToPoints(0.5)
xap~FooterMargin=xlObj~Application~InchesToPoints(0.5)
  xap~PrintHeadings=.False
  xap~PrintGridlines=.False
```





Automating Microsoft Excel With ooRexx



Setup Print Criteria & Print

```
xap~PrintComments=xlPrintNoComments
```

```
    xap~PrintQuality=1200
```

```
    xap~CenterHorizontally=.False
```

```
    xap~CenterVertically=.False
```

```
    xap~Orientation=xlLandscape
```

```
    xap~Draft=.False
```

```
    xap~PaperSize=xlPaperLetter
```

```
    xap~FirstPageNumber=xlAutomatic
```

```
    xap~Order=xlDownThenOver
```


```
    xap~BlackAndWhite=.False
```

```
    xap~Zoom=.False
```

```
    xap~FitToPagesWide=1
```

```
    xap~FitToPagesTall=100
```

```
xap~PrintErrors=xlPrintErrorsDisplayed
```






Automating Microsoft Excel With ooRexx



Print The WorkBook

`xlObj~ActiveWindow~SelectedSheets~PrintOut`





Automating Microsoft Excel With ooRexx




Converting A VBA Macro To ooRexx (Autofit Columns A & B)

VBA

```
Sub Macro1()  
    Columns("A:B").Select  
    Selection.Columns.AutoFit  
End Sub
```

ooRexx

```
xlObj~Columns("A:B")~Select  
xlObj~Selection~Columns~AutoFit
```





Automating Microsoft Excel With ooRexx



Some Final Points To Remember

Make full use of the macro recorder.


Record your macros in the current workbook.

When converting VBA to ooRexx watch the VBA code for numerous attributes that are set to their default – many of them can be omitted.

Be prepared to do a lot of “trial & error” analysis.

Watch your “Task Manager” for orphaned Excel processes.

When using one ooRexx application to call another ooRexx application that performs Excel automation, make “arrangements” in your calling program to use WMI to kill orphaned Excel processes – this is an issue with Excel, not ooRexx.





Automating Microsoft Excel With ooRexx



A Real World Demonstration

Purpose:

Analyze payroll time data and create an exception report for each office that will include any employee that matches defined criteria.

Desired Output:

Color PDF, but “exception” items highlighted such that they are clearly visible if printed in B/W.

of Offices:


17

of Employees:

517

Time Required:

3.47 Minutes





Automating Microsoft Excel With ooRexx



A Real World Demonstration

Actual demonstration will be for two (2) offices and includes infoMessage boxes for the first office only to explain the next step.

