

# OoRexxDoc 5.0

Author: Alexander Seik, 2018

# Table of Contents

- Features
- User interface
- Command line
- Architecture
- Offline search
- Conclusion

# Features

- Interface documentation of code
- ooRexx 5.0
- "Human centric" documentation
- Website for online and offline Use
- Offline search
- Mobile phone support
- Multiple generation options

# User Interface

The screenshot shows a window titled "ooRexxDoc" with a light gray background. The window contains several input fields and buttons. At the top left, there are standard window control buttons (close, minimize, maximize) and the title "ooRexxDoc".

The main form has the following sections:

- Title:** A text input field containing "Sample API Documentation".
- Input (required):** A text input field containing "/home/alex/ooRexx/Sample API". To its right are two buttons: "Add" and "Remove".
- Output (required):** A text input field containing "/home/alex/ooRexx/Sample Api Output". Below this field is the text "(Directory will be created if it does not exist. Content will be appended to an existing directory)". To its right is a "Browse" button.
- Overview Text:** A text area containing "This is an introduction to my sample API". To its left is the text "Overview Text (Text will be displayed on the start page)".
- Info-Properties:** A text input field containing "Author: Alexander Seik". To its left is the text "Info-Properties (E.g. Author: Rexxler)". To its right are two buttons: "Add" and "Remove".

At the bottom of the window, there is a status message "ooRexxDoc is ready!" and three buttons: "Create Doc", "Save Config", and "Load Config".

# Command Line

- Three ways to run ooRexxDoc via command line
  - Simple start
    - Searches uses local ooRexxDoc file if present
  - Minimalistic command line configuration
  - Local ooRexxDoc configuration file as Input
    - Parses a given file

# Architecture



# Example

ooRexxDoc

Home

BSF.CLS

Class: BSF

## Attributes


- **bsf.null\_string** GETTER UNGUARDED CLASS
- **bsf.null\_string** SETTER CLASS
- **rii\_id** GETTER

## Methods

- **init** CLASS
- **unknown** UNGUARDED CLASS
- **bsf.setBSF4RexxInfos** CLASS
- **bsf.import** CLASS  
USE ARG java\_path, classname=.nil, extendedJavaClz=.nil
- **bsf.importClass** CLASS  
USE ARG java\_path, classname=.nil, extendedJavaClz=.nil
- **bsf.attachNewStrict** CLASS  
USE ARG java\_path
- **bsf.FullJavaClassName** CLASS
- **init**  
USE ARG javaClass, args
- **uninit**
- **bsf.dispatch**  
USE ARG methodName
- **makearray**
- **supplier**
- **unknown** UNGUARDED  
USE ARG name, args

# Offline Search

- Index: package names and directive names





# Summary

- OoRexxDoc 5.0 built on ooRexxPlugin for IntelliJ
- Written in Java
- Automatic documentation generation for sharing
- Multiple offline features
- Download

<https://sourceforge.net/projects/oorexdoc/files/?source=navbar>

- Command line examples

```
java -jar oorexdoc.jar help
```

```
java -jar oorexdoc.jar generate -i /usr/local/bin/BSF.CLS -o testout/ -t SomeArubianTitle
```